

WHITE WALL SERIES

125-135 Bonds Rd Riverwood NSW 2210, AUSTRALIA | T +61 2 9584 4000 | W www.aceceramics.com.au | E sales@aceceramics.com.au

 **aceceramics**
beyond our customer's expectations since 1974

WHITE WALL Series is our collection of white and off-white ceramic wall tiles.



PRODUCT TYPE: Ceramic

COLOURS: White and Biscuit

SIZES: 200x200mm, 300x400mm, 150x600mm and 300x600mm
Non-Rectified and Rectified Edges


FINISHES/USAGE: Gloss and Matt/Wall and Floor

AESTHETIC QUALITIES: Clean monochrome scheme

ORIGIN: N/A

TECHNICAL DATA: More technical data on last page

VARIATION:




V1

WHITE WALL SERIES

125-135 Bonds Rd Riverwood NSW 2210, AUSTRALIA | T +61 2 9584 4000 | W www.aceceramics.com.au | E sales@aceceramics.com.au




PRODUCT INFORMATION




Snow White Rectified

Gloss 150x600mm | 300x600mm
Matt 150x600mm | 300x600mm



Snow White Non-Rectified

Gloss 300x600mm
Matt 300x600mm




White Non-Rectified

Gloss 300x400mm



Biscuit Rectified

Gloss 300x600mm



White Non-Rectified

Gloss 200x200mm

WHITE WALL SERIES

125-135 Bonds Rd Riverwood NSW 2210, AUSTRALIA | T +61 2 9584 4000 | W www.aceceramics.com.au | E sales@aceceramics.com.au

 **aceceramics**
beyond our customer's expectations since 1974

LIFESTYLE IMAGES









Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

WHITE WALL SERIES

125-135 Bonds Rd Riverwood NSW 2210, AUSTRALIA | T +61 2 9584 4000 | W www.aceceramics.com.au | E sales@aceceramics.com.au

 **aceceramics**
beyond our customer's expectations since 1974

TECHNICAL DATA

technical characteristics	test method	result
 water absorption	EN ISO 10545-3	17.8% pass
 surface quality	EN ISO 10545-2	100% pass
 breaking strength (S)	EN ISO 10545-4	1230 pass
 abrasion resistance	EN ISO 10545-7	Class 4 2100
 chemical resistance	minimum class B	pass
 resistance to frost	EN ISO 10545-12	fully resistant

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.